Dry Bath Incubators



NEW

Wall diameter /

01-910X **Dry Bath Incubator**

This classic dry bath incubator is ideal for molecular biology, histology, and environmental, industrial, and clinical laboratories, and for applications including melting and boiling point determinations, enzyme reactions, incubation and activation of cultures, immunoassays, DNA denaturation, culture media tests, coagulation tests, blood-urea-nitrogen determinations, and in-situ hybridizations.





- A broad temperature range, from room temperature to 120°C
- Continuous and timed operation settings
- Over-temperature protection
- Various interchangeable heating blocks are available

Catalogue No.	Capacity (tubes)	Well diameter / Well depth [mm]
01-9191	0.2mL x 54	6.4 15
01-9192	0.5mL x 40	8.2 26.4
01-9193	1.5/2mL x 40	11 34.7
01-9194	5/15mL x 28	17 48
01-9195	50mL x 8	29.8 48
01-9196	0.2mL x 18 + 0.5mL x 1 + 1.5/2mL x 18	8 _
01-9197	96- or 384-well plate	-

Specifications

Catalogue No.	01-910X
Voltage [VAC]	100-120/200-240
Frequency [Hz]	50/60
Power [W]	160
Heating block dimensions [mm]	150 × 95
Heating temperature range [°C]	5 above room temp 120
Temperature display	LED
Control accuracy [°C]	± 0.5
Maximum safe temperature [°C]	140
Timer	Yes
Time setting range	1 min - 99 hours, 59 min
Operation type	Continuous / timed
Dimensions [W \times D \times H, mm]	175 × 290 × 85
Weight [kg] (without heating block)	1.6
Permissible ambient temperature [°C]	5 - 40
Permissible relative humidity	80%
Protection class according to DIN EN 60529	IP 21